L Number	Hits	Search Text	DB	Time stamp
1	59	(plate same((sens\$5 or decod\$5 or	USPAT;	2004/04/19 11:47
		detect\$5) same (mark\$5 or indicia or indicum or code or barcode) same (mount\$5	US-PGPUB;	
		near3 cylinder)))	EPO; JPO; DERWENT;	
		Hears Cyrinder, , ,	IBM TDB	
2	61650	((101/\$).ccls.)	USPAT;	2004/04/19 11:49
-	02000	((101) 4) (00101)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	24		USPAT;	2004/04/19 11:27
		detect\$5) same (mark\$5 or indicia or	US-PGPUB;	
		indicum or code or barcode) same (mount\$5	EPO; JPO;	
		near3 cylinder)))) and (((101/\$).ccls.))	DERWENT; IBM TDB	
4	42	(plate near3 (mount\$5 near4 cylinder))	USPAT;	2004/04/19 11:49
4	42	same((sens\$5 or decod\$5 or detect\$5) same	US-PGPUB;	2004/04/15 11.45
		(mark\$5 or indicia or indicum or code or	EPO; JPO;	
		barcode))	DERWENT;	
			IBM TDB	
5	18758	((226/\$).ccls.)	USPĀT;	2004/04/19 11:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
6	81507	(((101/\$).ccls.)) Or (((226/\$).ccls.))	USPAT;	2004/04/19 11:50
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
7	20	((plate near3 (mount\$5 near4 cylinder))	USPAT;	2004/04/19 11:57
•	20	same((sens\$5 or decod\$5 or detect\$5) same	US-PGPUB;	
		(mark\$5 or indicia or indicum or code or	EPO; JPO;	
		barcode))) and ((((101/\$).ccls.)) Or	DERWENT;	
		(((226/\$).ccls.)))	IBM_TDB	
8	0	5771811.pn. and (plate near3 cylinder)	USPAT;	2004/04/19 11:57
	-		US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
9	1	5771811.pn. and (plate same cylinder)	USPAT;	2004/04/19 11:57
9	1	3771011.pm. and (prace same cyrinder)	US-PGPUB;	2004/04/13 11:3/
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	97	position near4 motor same (print\$5 adj	USPAT;	2004/04/15 13:15
		press)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/04/15 12 17
-	11	(position near4 motor same (print\$5 adj	USPAT;	2004/04/15 13:17
		press)) and (mark\$5 same sensor)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	6647874.URPN.	USPĀT	2004/04/15 13:12
_	19	(preset\$9 or preadjust\$9) same phase same	USPAT;	2004/04/15 13:38
		(print\$5 adj press)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	1 , 11 1 1 1 1	USPAT;	2004/04/15 13:17
		(print\$5 adj press)) and (mark\$5 same	US-PGPUB;	
		sensor)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	1077	1, 400	LIGDAM	10004/04/25 24 00
_	1877	(preset\$9 or preadjust\$9) same phase same motor	USPAT; US-PGPUB; EPO; JPO;	2004/04/15 14:00
			DERWENT; IBM TDB	
-	12	((preset\$9 or preadjust\$9) same phase same motor) and (print\$5 adj press)	USPAT; US-PGPUB; EPO; JPO;	2004/04/16 12:46
			DERWENT; IBM TDB	
	1	4694749.URPN.	USPAT	2004/04/15 13:47
_	11788	5917192.URPN. (preset\$9 or preadjust\$9 or offset or	USPAT;	2004/04/15 13:50 2004/04/15 14:03
		equalize or balance or compensate or counteract or counterbalance) same (phase or angel) same (motor or drive)	US-PGPUB; EPO; JPO; DERWENT;	
-	427	((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or	IBM_TDB USPAT; US-PGPUB;	2004/04/16 12:32
		counteract or counterbalance) same (phase or angel) same (motor or drive)) and ((print\$5 adj press) or web)	EPO; JPO; DERWENT; IBM_TDB	
_	208	(((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or counteract or counterbalance) same (phase	USPAT; US-PGPUB; EPO; JPO;	2004/04/15 14:04
		or angel) same (motor or drive)) and ((print\$5 adj press) or web)) and mark\$5	DERWENT; IBM_TDB	
_	178	<pre>((((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or counteract or counterbalance) same (phase</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/04/15 14:45
		or angel) same (motor or drive)) and ((print\$5 adj press) or web)) and mark\$5)	DERWENT; IBM_TDB	
_	0	and (sens\$5 or decod\$5 or detect\$5) 6647874.URPN. and (position or locat\$5 or place or arrangement)	USPAT; US-PGPUB;	2004/04/15 14:07
			EPO; JPO; DERWENT; IBM_TDB	
_	177	<pre>((((((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or counteract or counterbalance) same (phase or angel) same (motor or drive)) and ((print\$5 adj press) or web)) and mark\$5) and (sens\$5 or decod\$5 or detect\$5)) and (position or locat\$5 or place or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:08
_	2735	arrangement) (sens\$5 or decod\$5 or detect\$5) near2	USPAT;	2004/04/15 14:49
		(mark\$5 or indicia or indicum or code or barcode) near2 (form or plate or drum or cylinder or drum or drive)	US-PGPUB; EPO; JPO; DERWENT;	
_	61650	(101/\$).ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/16 13:50
-	73	((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or barcode) near2 (form or plate or drum or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/16 09:03
		cylinder or drum or drive)) and ((101/\$).ccls.)	DERWENT; IBM_TDB	
_	18758	(226/\$).ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/04/15 15:06
-	79461	((101/\$).ccls.) or ((226/\$).ccls.)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/15 15:06
			EPO; JPO; DERWENT; IBM_TDB	

-	947	((101/\$).ccls.) and ((226/\$).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:34
_	104	((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or	IBM_TDB USPAT;	2004/04/16 11:30
		barcode) near2 (form or plate or drum or cylinder or drum or drive)) and	US-PGPUB; EPO; JPO; DERWENT;	
-	25	(((101/\$).ccls.) or ((226/\$).ccls.))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 06:51
_	25	fold\$5 (((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or barcode) near2 (form or plate or drum or cylinder or drum or drive or motor)) and (((101/\$).ccls.)) or ((226/\$).ccls.))) and fold\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 08:04
_	112	<pre>(phase adh motor) same(longit\$9 near2 position) same print\$5</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 06:59
_	34	((phase adh motor) same(longit\$9 near2 position) same print\$5) and ((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or barcode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 07:46
_	16	5909235.URPN.	USPĀT	2004/04/16 07:19
_	16	5909235.URPN.	USPAT	2004/04/16 07:26
_	11	("4804979" "4807218" "4903067" "4916547" "4924254" "4963899" "4965597" "5278587" "5287162" "5347303" "5394223").PN.	USPAT	2004/04/16 07:26
-	11	("4804979" "4807218" "4903067" "4916547" "4924254" "4963899" "4965597" "5278587" "5287162" "5347303" "5394223").PN.	USPAT	2004/04/16 07:26
_	3	5813337.URPN.	USPAT	2004/04/16 07:32
_	3	5813337.URPN.	USPAT	2004/04/16 07:35
_	27	("2961548" "3567091" "3682362" "3752377" "4135664" "4243925" "4366753" "4385716" "4470555" "4527069" "4606486" "4848632" "4887530" "4896807" "4913049" "4960234" "4991761" "5117610"	USPAT	2004/04/16 07:35
		"5119725" "5129568" "5176371"		
		"5224640" "5289770" "5361960" "5412577" "5415092" "5540146") PN		
-	1	"5412577" "5415092" "5540146").PN. ("6568323").PN.	USPAT; US-PGPUB	2004/04/16 07:47
_	1	("6626343").PN.	USPAT; US-PGPUB	2004/04/16 07:47
_	114	<pre>(((sens\$5 or decod\$5 or detect\$5) near2 (mark\$5 or indicia or indicum or code or barcode) near2 (form or plate or drum or cylinder or drive or motor)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/19 11:20
_	16	(((101/\$).ccls.) or ((226/\$).ccls.)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 12:26
-	5	5771811.URPN. (("6408748") or ("5546859") or ("5289770") or ("5415092") or ("5058500") or ("4665824")).PN.	USPAT USPAT	2004/04/16 08:22 2004/04/16 09:00
L	L	("4000824")).PN.	<u></u>	

-	1	("4665824").PN.	USPAT	2004/04/16 09:00
-	1	("6167806").PN.	USPAT;	2004/04/16 09:03
			US-PGPUB	
-	2	6167806.URPN.	USPAT	2004/04/16 09:50
-	0	5771811.pn. and lithogra\$5	USPAT;	2004/04/16 10:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		5777011	IBM_TDB	0004/04/16 11 00
-	1	5771811.pn. and (print\$5 adj plate)	USPAT;	2004/04/16 11:20
-			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	5771811.pn. and (cut\$5)	USPAT;	2004/04/16 11:21
_		3771011.pm. and (edep3)	US-PGPUB;	2004/04/10 11.21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	5771811.pn. and (fold\$5)	USPAT;	2004/04/16 11:22
		3771011.pm. and (101043)	US-PGPUB;	2004/04/10 11:22
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	6167806.pn. and (fold\$5)	USPAT;	2004/04/16 11:22
	1	orovou.pir. and (rorays)	US-PGPUB;	2001,01,10 11.22
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	5771811.pn. and calculat\$6	USPĀT;	2004/04/16 12:09
	_		US-PGPUB;	
			EPO; JPO;	
		· ·	DERWENT;	
			IBM TDB	
-	0	6167806.pn. and ((("4804979" "4807218"	USPĀT;	2004/04/16 12:10
		"4903067" "4916547" "4924254"	US-PGPUB;	
		"4963899" "4965597" "5278587"	EPO; JPO;	
		"5287162" "5347303" "5394223").PN.)	DERWENT;	
		near4 section)	IBM_TDB	
_	0	, , , , = ,	USPAT;	2004/04/16 12:22
		(mark\$5 or indicia or indicum or code or	US-PGPUB;	
		barcode) near2 (print\$5 adj(form or plate	EPO; JPO;	
		or drum or cylinder or drive or motor)))	DERWENT;	
		and (((101/\$).ccls.) or ((226/\$).ccls.)))	IBM_TDB	
) and (creat\$5 adj (mark\$5 or indicia or		
		indicum or code or barcode))	HODAE	2004/04/16 10:25
-	3526		USPAT;	2004/04/16 12:35
		or code or barcode))	US-PGPUB;	
			EPO; JPO; DERWENT;	.
-	-		IBM TDB	
1_	12	((creat\$5 adj (mark\$5 or indicia or	USPAT;	2004/04/16 12:32
-	12	indicum or code or barcode))) and	US-PGPUB;	2004/04/10 12:32
		(print\$5 adj(form or plate or drum or	EPO; JPO;	
		cylinder or drive or motor))and	DERWENT;	
		(((101/\$).ccls.) or ((226/\$).ccls.))	IBM TDB	
_	0	((creat\$5 adj (mark\$5 or indicia or	USPAT;	2004/04/16 12:33
		indicum or code or barcode))) and	US-PGPUB;	2001,04,10 12.33
		((((sens\$5 or decod\$5 or detect\$5) near2	EPO; JPO;	
		(mark\$5 or indicia or indicum or code or	DERWENT;	
		barcode) near2 (form or plate or drum or	IBM TDB	
		cylinder or drum or drive or motor)) and		
		(((101/\$).ccls.) or ((226/\$).ccls.))) and		
		fold\$5)		
_	427	((preset\$9 or preadjust\$9 or offset or	USPAT;	2004/04/16 12:32
		equalize or balance or compensate or	US-PGPUB;	
		counteract or counterbalance) same (phase	EPO; JPO;	
1	1	or angel) same (motor or drive)) and	DERWENT;	
	1		IBM TDB	

-	0	5813337.URPN. and (((preset\$9 or preadjust\$9 or offset or equalize or balance or compensate or counteract or counterbalance) same (phase or angel) same (motor or drive)) and ((print\$5 adj press)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:33
-	0	or web)) ((("6408748") or ("5546859") or ("5289770") or ("5415092") or ("5058500") or ("4665824")).PN.) and ((creat\$5 adj (mark\$5 or indicia or indicum or code or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:33
-	947	barcode))) ((101/\$).ccls.) and ((226/\$).ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:34
-	1	((creat\$5 adj (mark\$5 or indicia or indicum or code or barcode))) and (((101/\$).ccls.) and ((226/\$).ccls.))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:35
-	35768	(creat\$5 or generat\$5 or print\$5) adj (mark\$5 or indicia or indicum or code or barcode)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:41
-	41	((creat\$5 or generat\$5 or print\$5) adj (mark\$5 or indicia or indicum or code or barcode)) and (((101/\$).ccls.) and ((226/\$).ccls.))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:42
_	21425	(creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/16 12:42
_	6	((creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)) and (((101/\$).ccls.) and ((226/\$).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:42
-	2	((creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)) near5 (print\$5 adj form)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:48
-	0	6167806.pn. and mark	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:47
_	6	((creat\$5 or generat\$5) adj (mark\$5 or indicia or indicum or code or barcode)) near5 (print\$5 adj (form or plate or cylinder or drum))	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:49
-	1	2002/0050219	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 13:57
-	0	((image nearl (set or setter or setting) or (form or forme or plate) nearl (print\$ or mak\$3 or expos\$)) near6 (mark or making)) and (101.\$.ccls.) and ((plate or forme or form or drum or cylinder)nera4 (regist\$ or align\$ or position\$))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:04

-	0	((image nearl (set or setter or setting)	USPAT;	2004/04/16 14:04
		or (form or forme or plate) nearl (print\$ or mak\$3 or expos\$)) near6 (mark or making)) and (101.\$.ccls.) and ((plate or	US-PGPUB; EPO; JPO; DERWENT;	
		forme or form or drum or cylinder)nera4 (regist\$ or align\$ or position\$))	IBM_TDB	
-	0	<pre>((image nearl (set or setter or setting) or (form or forme or plate) nearl (print\$ or mak\$3 or expos\$)) near6 (mark or</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/04/16 14:04
		making)) and (101.\$.ccls.) and ((plate or forme or form or drum or cylinder)nera4	DERWENT; IBM TDB	
		(regist\$ or align\$ or position\$))	_	